	1 1	Vecei	villa veb	ort		
	Date: $\frac{3/5/7}{2}$			h No:/	1978/	P
Packing Slip: Invoice: Receipt: Discrepancie	Yes No Cr	S Q W	elease Note A Jaybill Attache hipment Com C6 Inspection Jork Order	ed: Y plete: 🙀 🔀	es Notes	N/A
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M 304.	5/6GD	286	0	4	256	
						2
		Initials	of receiver (if shipment	OK) Level	12/
Production/Ac Date Received/Cos Initial	13/56/				Location	on
H:\FORMS\Purch	nasing\approved purch\RECI	REPORT Rev [

Purchase Order Receipt Listing

Tuesday, May 07, 2013 10:16:08 AM


All amounts are calculated in domestic currency.

All Vendors PO ID PO19781 Receipt Dates from 5/7/2013 to 5/7/2013 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Purchase Line Order ID/ Nbr/ Curr Type Insp Req		Project ID Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name PO197811	. 3	VC-CAM002 Campi Steel M6061T6A2.000W.1-f 88	Steel 1-f	5/6/2013	5/6/2013 5/7/2013	20.0000	\$2.01	0.0000	0	\$40.15
CAD No		Angle 2.000 x 2.000 f x .188W 125518		20.0000	DESJ02		\$40.15	0.0000	0	
3 No		72000-45 MILD STEEL SHEET 4" X 8" X	Each	5/6/2013	5/6/2013 5/7/2013 -1.0000	1.0000	\$181.49	0.0000	0	\$181.49
		1/4" 125518								
							Total	Total Opt to Inspect (PO U/M): Total Opt to Inspect (PO U/M): Total Reject Quantity:	uantity:) U/M): uantity:	21.0000 0.0000 0.0000

\$221.64

Total Receipt Value: Total Balance Due Quantity:



Test de dureté Rockwell **Rockwell Hardness Test**

Client / Customer:

Adresse / Address:

commande Sapa / Sapa order #:

3011491

bon de commande / Purchase order #:

CA-35924

de matrice / Die #: MS 15951

Description: 2"x2"x3/16"ANGLE

Alliage & trempage / Alloy & temper:

6061 T6

Contrôle / Control #: 85506-

Longueur / Lenght: 60% mm

Coulée / Cast #: 55930

Dureté Rockwell E /

Min. requis /

Max. permis /

Rockwell Enardness: 90 HRE

Min. required: 88 HRE

Max. permitted: 100 HRE

Composition chimique typique / Typical chemical composition:

			والمسادة مستحد		<u> </u>			
	Si	Fe	Ç⊎	Mn	Mq	Cr	Zn	772
6063	0,20 - 0,60	0,35 Max	0,10 Max	0,10 Max	0,45 - 0,90	0,10 Max	0,10 Max	0.10+4
6005	0,60 - 0,90	0.35 Max	0,10 Max	0,10 Max	0,40 - 0,60			0.10 Max
6005A	0,66-0,74	0,14 - 0,28	0,08 - 0,16	0,18 - 0,26	0,46 - 0,54		0,10 Max	0,10 Max
6061	0,40 - 0,80	0,70 Max	0.15 - 0.40			0,03 Max	0,05 Max	0,05 Max
6351	0,7 - 1,3	0.5 Max			0,80 - 1,20	0,04 - 0,35	0,25 Max	0,15 Max
0001	0,7 - 1,0	U,5 MICK	0,10 Max	0,40 + 0,80	0,40 - 0,80	ł	0.20 May	0.20 44-0-

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221-08 excepté pour la section 8.2 (nombre de spécimen).

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221-08 except for section 8.2 (number of specimen).

Sincèrement vôtre,

○ : 2013-01-30

Yours truly,

Acceptable P13/4/8

Gilles Pelletier

Technicien de la qualité

Quality technician

ArcelorMittal Dofasco Inc.- Test Report

Page 9 sur 10

AccelerMittel Defeace Inc.

P.O. Box 2650 Hamilton, Ontario LBN 3.15

TEST REPORT PARES O TROSPAR Attention: Patrick Assaud Email: partaud@accentramabe..com | Date: 17/19/3012

Purchase Order/Bon de Commande G-38633-5 XOV 526663 Rold To/Vendu A

Customer/Cilent Customer/Client Sales Grder/Bon de Commando Voncou/Avondo 612980 PCS 272397821 Wagsing Slip/Bondoness de Charge Vehicle or Carcher/Vehicle of Transportent

Vicador//Vupito in

T.B.A.

Ship To/Expedies A

Spec/Norm et Sper. FOR CONVERSION TO CSA G40.21 CRADE 44X SIANDREU TFICKESS TOLERANCE THAT REPORTS REQUIRED CODE SEAT

Material Description/Rescription on Materia: PLATE-IN-COIL FOR CONVESSION STRUCTURAL STEEL

MILL EDGE

PEAIN DRY

.1100 MIN .2480 K 48 K 8011. Weight 43970 6As Test Methods ASIM ASID, BIDLS, MAIN

NECHANICAL PROPERTIES

HEAT SERIAL MOMBAN COLLEG MEMBER DE SERIE

111841 V39495/CD

TEST UNITS KS1 SAUGE LENGTE 2 INCE
LIFT NUMBER YIELD STRENGTH ULTIMATE STRENGTH SELONG
MCKRRE DE RESISTANCE A LA RESISTANCE A LA RELONG
FRADRAL TRACTION TRACTION 5149749 67 30.0

111041

98 98 40 400 600 Sh No als Rit Cb 0 T; Ca N B -01r -018 1028 :029 .046 .553 .G13 .cc2 .0060 .cc62

Arretormittal Octasio Inc. as par Diane Ekupny-Mackride - UNIL Supervisor
The Results Relate Only to The Items Tested
This Report Shall Not Be Repredeced Except In Yell Mithout The Expressed Orlites Approval of the Orth Supervisor.

This Contract is subject to The Terms And Conditions Of Sale Shown on The Order Acknowledgement. On Contrat and Suijet and Terms at Conditions do Venta Indiquod Sur l'Accuse de Reception de Commanda.



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19781

Purchase Order Date 5/03/13 PO Print Date 5/03/13

Page Number 1 of 1

Order From: VC-CAM002 **CAMPI STEEL** 935 BOUL. DU HAVRE VALLEYFIELD, QC J6S 5L1 CA **Contact Name Buyer** Chantal Lavoie Vendor Phone 800 667 4248 Requisition Nbr Vendor Fax 450 377 5696 Tax Resale Nbr 10127-2607 Vendor Account Nbr **Terms** Net 30 Currency CAD **FOB** Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



Line Nbr Reference Description/ Req Date/ Req Qty/ Ship Method **Unit Price** Extended Revision ID Mfg ID Taxable Unit of Measure Price Vendor Part Number Angle 2.000 x 2.000 x M6061T6A2.000W.188 5/06/13 \$2.0225 \$40.45 .188W Yes MATERIAL: 6061-T6/T6510/T6511 Special Inst: **ALUMINUM ANGLE** AS PER AMS-QQ-A-200/8 M304S16GA 304/316 Sheet . 83 5/06/13 256.00 Yours ppd \$6.3511 \$1,625.89 Yes sf Special Inst: MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH MF ., DELIVERY AS MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 3 MILD STEEL SHEET 4" 5/06/13 1.00 Yours ppd \$182.8400 \$182.84 X 8" X 1/4" Yes Each Deliver To: ERIC.L

PO Total:

\$1,849.18



No substitution or deviation without consent.

Certificate of Conformity or Material Certification required (YES NO

Change Nbr:

1

Ehange Date:

5/03/13

ACTER CAMPI INC. 935 Boul. du Havre Valleyfield, Quebec J6S 5L1		(450)	336-4248 377-4248 667-4248		L) Fa		336-4246 377-5696
(F) 613-632-1053 (T) 613-632-5200					SOUMI	SSION	322277
DART AEROSPACE LTD			ጋልዋጥ ልምው/	CDA	CE LTD		
1270 ABERDEEN STREET					N STREET		DATE
HAWKESBURY,			LAWKESBUI		и ріквыї	2	9/04/13
ONTARIO			NTARIO	,			
K6A 1K7		F	6A 1K7				LIVREE
							9/04/13
						_	
Code Client Pen			Í				
Rep				Cond	litions		Page
DAER V		:	NET	30	JOURS		001
Description		Quant.	Poid				
			Foru	5	Prix	Par	Montant
MILL TEST REQUIS			4				
S.S. 304 2B 16 JA 48 X 96		3	252		241.950	CLB	609.71
3 X 4' X 8' STOCK							009.71
SKID CHARGE (MEDIUM) 4'X8'		1	0		35.000	UN	35.00
NEW COMPANY							33.00
ALU SHEET 2024-T3 .063"		6	6		450.000		2700.00
DELAY 4-7 DAYS							
OR		-					
ALU.SHEET 2024-T3 .063"			!		:		
6 X 4' X 12'		6	. 6		425.000		2550.00
DELAY: 2-3 WEEKS							
ON SKID					:		
ALU SHEET 6061-T6 .080"		6	6		240.000		1440 0-
6 X 4' X 8'		! ! !			2.0.000		1440.00
DELAY 2-3 WEEKS							
ON SKID			1		:		
HANKS! VALERIE							
		:					
	:						
Poids to	tal		70	S	ous-total		7334.71
				T	PS		0.00
			ļ	T	7Q		953.51
		:		T	TAL		8288.22
			1				

IMPORTANT: Cette offre est basee sur la disponibilite et le prix actuel du materiel qui peut etre revise a la reception de la commande.

Prix valide pour 15 jours

Veuillez faire parvenir un accuse de reception pour accepter la soumission.

ACIER CAMPI INC. 935 Boul. du Havre Valleyfield, Quebec J6S 5L1		(450)	377-4248		Fax: (514) (450)	336-4246 377-5696
(F) 613-632-1053 (T) 613-632-5200 DART AEROSPACE LTD			DART AERO	SPACE LTD		322546
1270 ABERDEEN STREET HAWKESBURY, ONTARIO K6A 1K7			1270 ABER HAWKESBUR ONTARIO K6A 1K7			/05/13
Code Client Rep				-	02	IVREE /05/13
nap				Conditions		Page
DAER V			NET	30 JOURS		001
Description		Quant	t. Poids	Prix		Montant
MILL TEST REQUIS**						
AL.ANGLE 2 X 2 X 3/16 1 X 20' STOCK		20	17	237.9	50 CLB	40.45
PLATE 44W 1/4 48 X 96 1 X 20' STOCK		1	326	55.9	50 CLB	182.84
THANKS! VALERIE			, ,			
Poids to	:					
Polds to	cal		343	Sous-tot TPS TVQ TOTAL	al	223.29 0.00 29.03 252.32

IMPORTANT: Cette offre est basee sur la disponibilite et le prix actuel du materiel qui peut etre revise a la reception de la commande.

Prix valide pour 15 jours

Veuillez faire parvenir un accuse de reception pour accepter la soumission.

Chantal Lavoie

From:

Joann C vente@aciercampi.com>

Sent:

May 3, 20 ±3 3·37 PM

To:

Subject:

Chantal Lavoie

MILL TEST

Attachments:

DART19781.pdf

Bonjour Chantal,

Voici les mill test pour votre commande # PO 1981 Livraison prévu pour Lundi.

Merci Joann